

## 2015 OHIO WHEAT PERFORMANCE

## Wide Row 15" Variety Evaluation Crawford &amp; Wayne County

## 2014-2015 2 Year Summary

## Wide Row 15" Variety Evaluation Wayne County

Brand	Cultivar	SEED FT/ROW	Sstd %	Craw yield	Wayn yield	Average yield	Moist %	Test wt.	LG %	HT in.	Head Date	Sstd %	Wayn yield	Moist %	Test wt.	Lodg. %	Height in.
AgriMAXX	413	25	100	90.3	78.6	84.5	13.0	52.7	1	31	140	100	95.1	13.1	55.3	1	32
AgriMAXX	444	25	98	90.7	79.4	85.1	14.2	53.5	1	32	144						
AgriMAXX	447	25	92	81.7	69.2	76.9	13.9	53.3	0	32	145						
Beck	120	25	96	86.4	77.7	82.0	12.9	52.5	1	31	141						
Beck	125	25	97	89.4	73.5	81.5	14.5	54.7	0	32	143						
Dyna-Gro	9171	25	98	87.1	81.3	84.2	13.0	52.8	1	30	140	99	98.2	13.3	55.6	1	32
Dyna-Gro	9552	25	99	87.5	79.8	83.7	13.5	53.1	1	31	144						
Pioneer Brand	25R40	25	94	85.3	84.5	84.9	13.9	52.7	0	30	143	97	99.8	14.1	56.1	0	32
Pioneer Brand	25R46	25	94	80.7	72.1	76.4	14.9	54.2	0	30	144						
Rupp	RS 910	25	99	87.4	80.9	84.2	14.1	54.6	0	33	143						
Rupp	RS 972	25	98	88.3	79.5	83.9	15.1	53.2	1	34	144	99	97.5	14.7	55.3	12	36
Seed Consultants	SC 1321™	25	95	88.6	81.4	85.0	12.9	52.7	0	31	140	98	97.4	13.4	55.5	3	32
Seed Consultants	SC 1325-15™	25	98	80.5	63.6	72.0	13.3	52.6	0	30	142						
Seed Consultants	SC 1335-15™	25	99	86.3	74.9	80.6	14.3	54.7	0	32	143						
Seed Consultants	SC 1342™	25	96	84.5	83.1	83.8	15.2	53.5	1	34	145	98	97.0	14.6	55.4	16	35
Shur Grow	SG-1554	25	99	81.8	67.9	74.8	14.2	53.5	0	33	145						
Stewart	SW490	25	99	79.0	76.6	77.8	13.8	52.9	8	35	143	99	94.2	14.0	55.8	6	36
Strike	220	25	98	86.9	79.6	83.3	15.1	53.5	0	34	145	99	94.6	14.7	55.7	22	36
Strike	403	25	99	90.5	70.5	80.5	13.4	52.4	0	31	141						
Syngenta	SY 483	25	96	78.6	80.3	79.5	12.7	49.8	0	33	145	98	95.1	13.3	53.1	6	36
Wellman	W 125	25	99	82.4	86.8	84.6	14.0	53.5	9	36	143	99	98.7	14.0	56.3	11	38
Wellman	W 204	25	100	89.9	76.1	83.0	13.4	52.4	0	31	141						
Wellman	W 205	25	95	79.0	70.8	74.9	14.1	53.2	0	33	145	97	88.7	14.1	55.9	1	35
Wellman	W 206	25	96	91.0	74.3	82.7	14.3	54.7	0	33	143	98	88.3	14.3	57.5	0	34
Wellman	W 207	25	98	83.3	74.9	79.1	15.3	53.6	1	33	145	99	90.7	14.7	55.5	25	36
<b>High</b>			100	91.0	86.8	85.1	15.3	54.7	9	36	145	100	99.8	14.7	57.5	25	38
<b>Average</b>			97	85.5	76.7	81.2	14.0	53.2	1	32	143	99	95.0	14.1	55.6	9	35
<b>Low</b>			92	78.6	63.6	72.0	12.7	49.8	0	30	140	97	88.3	13.3	53.1	0	32
<b>LSD (P=0.1)</b>				4.9	5.7	NS*	1.1	1.0	NS	1.3	1.0						
<b>CV</b>				4.9	6.3	5.2	4.7	1.1	327	3.6	0.4						

\*No statistically significant differences in yield among wheat varieties for the two location summary.  
This is likely due to water/ice damage over the winter at Wooster and the late harvest.

Cultural Practices	Plant / Harvest	NPK	Herbicide	Fungicide / Insecticide
Crawford	Oct.2 / July 22	101-52-136	Harmony	Prosaro / Warrior
Wayne	Oct.12 / July 16	120-69-90	Harmony SG & Buctril	Prosaro / Warrior